

Rotating telescopic handlers:: MAGNI RTH



RTH 6.22




Tehnickal specification

Maximum lifting height	22.00m
Maximum load capacity	6.000kg
Maximum reach	18.5m
Width	2.50m
Height	3,12m
Length	7,40m
Ground clearance	0.33m
Gross weight	19.100kg
Rotation	360°
External turning radius	6.08m


Engine	Deutz TCD 3.6 L4 Stage V
Engine displacement	4cyl. 3,620cm ³
Engine power	100kW (136 hp)
Maximum torque	500 Nm
Fuel tank capacity	240l
Transmission	2+2 speeds (forward and reverse)
Maximum travel speed	40km/h
Tires	445/65 R22.5
Stabilizers	Simultaneous or individual control




Load chart with
FULLY EXTENDED STABILISERS (360°)
ATT-03-004




Load chart
FRONT ATTACHMENT ON TYRES
ATT-03-004



Load chart with
WINCH, 3,500 kg
ATT - 02 - 002



Load chart with
WINCH, 6,000 kg
ATT - 02 - 004



Load chart with
HOOK, 6,000 kg
 ATT - 05 - 001

Load chart with
ROTATING EXTENDABLE PLATFORM, 500 kg
 ATT - 01 - 005

