

Rotating telescopic handlers:: MAGNI RTH




RTH 8.35




Tehnička specifikacija

Maximum lifting height	34.90m
Maximum load capacity	8.000kg
Maximum reach	27m
Width	2.54m
Height	3,12m
Length	8,08m
Ground clearance	0.33m
Gross weight	24.000kg
Rotation	360°
External turning radius	7.00m


Engine	Volvo TAD 583 VE Stage V
Engine displacement	4cil. 5.130cm ³
Engine power	175kW (238 hp)
Maximum torque	975 Nm
Fuel tank capacity	270l
Transmission	2+2 speeds (forward and reverse)
Maximum travel speed	40km/h
Tires	445/65 R22.5
Stabilizers	Scissor stabilisers with single telescopic extension (Magni patent)




Load chart with
FULLY EXTENDED STABILISERS (360°) - M1
 ATT - 03 - 007




Load chart
FRONT ATTACHMENT ON TYRES
 ATT - 08 - 001



Load chart with
WINCH, 8,000 kg - M1
 ATT - 02 - 006



Load chart with
HOOK, 8,000 kg - M1
 ATT - 05 - 003



Load chart with **ROTATING EXTENDABLE PLATFORM, 500 kg**

ATT - 01 - 005

